KIDNEY INTERNATIONAL

Volume 55, Number 1, January 1999

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Renal disease and hypertension in non–insulin-dependent diabetes mellitus. *Nuhad Ismail, Bryan Becker, P. Strzelczyk, and Eberhard Ritz* 1

PERSPECTIVES IN BASIC SCIENCE

Cyclic-3′,5′-nucleotide phosphodiesterase isozymes in cell biology and pathophysiology of the kidney. *Thomas P. Dousa* 29

GENETIC DISORDERS – DEVELOPMENT

Chloride channel CLCN5 mutations in Japanese children with familial idiopathic low molecular weight proteinuria. *Hitoshi Nakazato, Junichiro Yoshimuta, Shinnyo Karashima, Shinichi Matsumoto, Fumio Endo, Ichiro Matsuda, and Shinzaburo Hattori* 63

HORMONES – CYTOKINES – SIGNALING

Coexpression of CD9 augments the ability of membrane-bound heparin-binding epidermal growth factor-like growth factor (proHB-EGF) to preserve renal epithelial cell viability. *Tsukasa Takemura, Satoshi Hino, Yuka Murata, Hidehiko Yanagida, Mitsuru Okada, Kazuo Yoshioka, and Raymond C. Harris* 71

Renal expression of parathyroid hormone-related protein (PTHrP) and PTH/PTHrP receptor in a rat model of tubulointerstitial damage. *Raquel Largo, Dulcenombre Gómez-Garre, Soledad Santos, Carlos Peñaranda, Julia Blanco, Pedro Esbrit, and Jesús Egido* 82

Regulation of natriuretic peptide (urodilatin) release in a human kidney cell line. *Wolfgang Lenz, Monika Herten, Rupert Gerzer, and Christian Drummer* 91

Ubiquitous localization of leukotriene A_4 hydrolase in the rat nephron. *Akihide Nakao, Tsuyoshi Watanabe, Nobuya Ohishi, Akiko Toda, Kenichiro Asano, Shigeo Taniguchi, Kazuo Nosaka, Eisei Noiri, Takako Suzuki, Tatsuo Sakai, Kiyoshi Kurokawa, Takao Shimizu, and Satoshi Kimura* 100

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Conserved T-cell receptor β chain CDR3 sequences in IgA nephropathy biopsies. *Huiling Wu, Geoffrey Y. Zhang, Anthony R. Clarkson, and John F. Knight* 109

Fibrinolytic activity of human mesothelial cells is counteracted by rapid uptake of tissue-type plasminogen activator. *Thomas Sitter, Karin Toet, Paul Quax, and Teake Kooistra* 120

Proliferation of parathyroid cells negatively correlates with expression of parathyroid hormone–related protein in secondary parathyroid hyperplasia. *Hiroshi Matsushita, Mitsuru Hara, Yuzo Endo, Yoshimasa Shishiba, Shigeko Hara, Yoshifumi Ubara, Hideki Nakazawa, Noriyuki Suzuki, Katsuhiko Kawaminami, Teruhiko Kido, Qing Li, and Lars Grimelius* 130

Changes in glomerular thromboxane A_2 receptor expression and ligand binding following immune injury. *Barbara A. Bresnahan, Shelly Dufek, Shenghua Wu, and Elias A. Lianos* 139

Isoflurane alters proximal tubular cell susceptibility to toxic and hypoxic forms of attack. *Richard A. Zager, Kristin M. Burkhart, and D. S. Conrad* 148

Cover: Immunolocalization of parathyroid hormone-related protein (PTHrP) in the kidney from an uninephrectomized control rat, showing staining in the glomerulus, mainly confined to epithelial cells, and in both proximal and distal tubules (original magnification ×130). (From Largo et al., Fig. 3B, p. 87)

Contents continued on next page

Renal proximal tubular cell fibronectin accumulation in response to glucose is polyol pathway dependent. *Kimberley Morrisey, Robert Steadman, John D. Williams, and Aled O. Phillips* 160

Bcl-2 overexpression prevents apoptosis-induced Madin-Darby canine kidney simple epithelial cyst formation. *Hsi-Hui Lin, Tzi-Peng Yang, Si-Tse Jiang, Hsi-Yuan Yang, and Ming-Jer Tang* (See Editorial, p. 334) 168

Fibronectin augments monocyte adhesion to low-density lipoprotein–stimulated mesangial cells. *Ravinder S. Chana and David C. Wheeler* 179

Heat shock protein 70 overexpression protects LLC-PK_1 tubular cells from heat shock but not hypoxia. *Martin A. Turman and Scott L. Rosenfeld* 189

Macrophage and myofibroblast involvement in ischemic acute renal failure is attenuated by endothelin receptor antagonists. *Josephine M. Forbes, Brian Leaker, Tim D. Hewitson, Gavin J. Becker, and Colin L. Jones* 198

Technical Note: *In situ* non-radioactive detection of nuclear factors in paraffin sections by Southwestern histochemistry. *Miguel Angel Hernández-Presa, Carmen Gómez-Guerrero, and Jesús Egido* 209

ION CHANNELS–MEMBRANE TRANSPORT–INTEGRATIVE PHYSIOLOGY

Osmotic regulation of the Na^+/*myo*-inositol cotransporter and postinduction normalization. *Mark A. Yorek, Joyce A. Dunlap, and William L. Lowe, Jr.* 215

Hormone-stimulated Ca^{2+} reabsorption in rabbit kidney cortical collecting system is cAMP-independent and involves a phorbol ester-insensitive PKC isotype. *Joost G.J. Hoenderop, Jan Joep H.H.M. de Pont, René J.M. Bindels, and Peter H.G.M. Willems* 225

Alendronate decreases urine calcium and supersaturation in genetic hypercalciuric rats. *David A. Bushinsky, Krystof J. Neumann, John Asplin, and Nancy S. Krieger* 234

Chronic K depletion inhibits renal brush border membrane Na/sulfate cotransport. *Daniel Markovich, Huamin Wang, Krishna Puttaparthi, Hubert Zajicek, Thomas Rogers, Heini Murer, Jürg Biber, and Moshe Levi* 244

VASCULAR BIOLOGY–HEMODYNAMICS–HYPERTENSION

Increased NAD(P)H oxidase-mediated superoxide production in renovascular hypertension: Evidence for an involvement of protein kinase C. *Thomas Heitzer, Ulrich Wenzel, Ulrich Hink, Dirk Krollner, Mikhail Skatchkov, Rainer A.K. Stahl, Roland Macharzina, Jan H. Bräsen, Thomas Meinertz, and Thomas Münzel* 252

Fractional clearance of high molecular weight proteins in conscious rats using a continuous infusion method. *Melissa J. Burne, Tanya M. Osicka, and Wayne D. Comper* 261

Acute cholestasis-induced renal failure: Effects of antioxidants and ligands for the thromboxane A_2 receptor. *Steve Holt, Richard Marley, Bimbi Fernando, David Harry, Radhi Anand, David Goodier, and Kevin Moore* 271

Impact of gender on the renal response to angiotensin II. *Judith A. Miller, Laurie A. Anacta, and Daniel C. Cattran* (See Editorial, p. 336) 278

CLINICAL NEPHROLOGY–EPIDEMIOLOGY–CLINICAL TRIALS

Comparison of mortality in ESRD patients on convective and diffusive extracorporeal treatments. *Francesco Locatelli, Daniele Marcelli, Ferruccio Conte, Aurelio Limido, Fabio Malberti, and Donatella Spotti, for the Registro Lombardo Dialisi e Trapianto* 286

Changes in renal medullary pO_2 during water diuresis as evaluated by blood oxygenation level–dependent magnetic resonance imaging: Effects of aging and cyclooxygenase inhibition. *Pottumarthi V. Prasad and Franklin H. Epstein* 294

RenaGel®, a nonabsorbed calcium- and aluminum-free phosphate binder, lowers serum phosphorus and parathyroid hormone. *Eduardo A. Slatopolsky, Steven K. Burke, Maureen A. Dillon, and The RenaGel Study Group* 299

Plasma homocysteine concentration predicts mortality in non–insulin-dependent diabetic patients with and without albuminuria. *Coen D.A. Stehouwer, Mari-Anne Gall, Philip Hougaard, Cornelis Jakobs, and Hans-Henrik Parving* 308

DIALYSIS–TRANSPLANTATION

Hyperhomocysteinemia, anticardiolipin antibody status, and risk for vascular access thrombosis in hemodialysis patients. ***Braden J. Manns, Ellen D. Burgess, Howard G. Parsons, Jeffrey P. Schaefer, M.E. Hyndman, and Nairne W. Scott-Douglas*** 315

TECHNICAL NOTE

Fluorescent determination of chloride in nanoliter samples. *Néstor H. García, Craig F. Plato, and Jeffrey L. Garvin* 321

PERSONAL PERSPECTIVE

James A. Shannon and the beginnings of the Laboratory of Kidney and Electrolyte Metabolism of the National Institutes of Health. *Thomas J. Kennedy, Jr.* 326

EDITORIALS

Apoptosis in cystogenesis: Hands on or hands off? *Vicente E. Torres* 334

Men's kidneys are from Mars and women's from Venus. *Julie R. Ingelfinger* 336

LETTERS TO THE EDITOR

Telematics application for home hemodialysis. *Basil Agroyannis, Helen Tzanatos, Costas Fourtounas, and Ioannis Kopelias* 338

Urinary albumin in the Hoorn Study. *Massimo Cirillo and Natale G. De Santo* 339

Reply from the authors. *Ellen K. Hoogeveen, Pieter J. Kostense, Ab J.M. Donker, and Coen D.A. Stehouwer* 339

Human herpesvirus-8 infection in hemodialysis patients from northern Italy. *Mario Luppi, Lorenza Vandelli, Denise Whitby, Anna Maria Savazzi, Patrizia Barozzi, Giuseppe Medici, Alberto Albertazzi, and Giuseppe Torelli* 340

NEPHROLOGY FORUM

The peritoneal membrane in chronic peritoneal dialysis. *Raymond T. Krediet* 341

ABSTRACTS

Spanish Society of Nephrology 357

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 377

Awards and grants 381

Candidates for the ISN Council 383

Instructions for Authors on page xiii

KIDNEY INTERNATIONAL

Volume 55, Number 2, February 1999

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Alterations in nonenzymatic biochemistry in uremia: Origin and significance of "carbonyl stress" in long-term uremic complications. *Toshio Miyata, Charles van Ypersele de Strihou, Kiyoshi Kurokawa, and John W. Baynes* 389

PERSPECTIVES IN BASIC SCIENCE

The development of x-ray imaging to study renal function. *Lilach O. Lerman, Martin Rodriguez-Porcel, and J. Carlos Romero* 400

GENETIC DISORDERS – DEVELOPMENT

Flaxseed ameliorates interstitial nephritis in rat polycystic kidney disease. *Malcolm R. Ogborn, Evan Nitschmann, Hope Weiler, David Leswick, and Neda Bankovic-Calic* 417

Intrauterine growth restriction is associated with persistent juxtamedullary expression of renin in the fetal kidney. *John C.P. Kingdom, Mark Hayes, James McQueen, Allan G. Howatson, and George B.M. Lindop* 424

HORMONES – CYTOKINES – SIGNALING

Cyclooxygenase metabolites mediate glomerular monocyte chemoattractant protein-1 formation and monocyte recruitment in experimental glomerulonephritis. *André Schneider, Sigrid Harendza, Gunther Zahner, Thomas Jocks, Ulrich Wenzel, Gunter Wolf, Friedrich Thaiss, Udo Helmchen, and Rolf A.K. Stahl* (See Editorial, p. 738) 430

Up-regulation of hepatocyte growth factor receptor: An amplification and targeting mechanism for hepatocyte growth factor action in acute renal failure. *Youhua Liu, Evelyn M. Tolbert, Lin Lin, Michael A. Thursby, Adam M. Sun, Toshikazu Nakamura, and Lance D. Dworkin* 442

Molecular mechanisms of glucose action on angiotensinogen gene expression in rat proximal tubular cells. *Shao-Ling Zhang, Janos G. Filep, Thomas C. Hohman, Shiow-Shih Tang, Julie R. Ingelfinger, and John S.D. Chan* 454

Gene therapy by transforming growth factor-β receptor-IgG Fc chimera suppressed extracellular matrix accumulation in experimental glomerulonephritis. *Yoshitaka Isaka, Yoshitaka Akagi, Yutaka Ando, Michiko Tsujie, Tetsuo Sudo, Noriko Ohno, Wayne A. Border, Nancy A. Noble, Yasufumi Kaneda, Masatsugu Hori, and Enyu Imai* (See Editorial, p. 740) 465

Activation of mesangial cell signaling cascades in response to mechanical strain. *Alistair J. Ingram, Hao Ly, Kerri Thai, Myung Kang, and James W. Scholey* 476

High glucose alters the response of mesangial cell protein kinase C isoforms to endothelin-1. *Emily Anne Glogowski, Evangelia Tsiani, Xiaopeng Zhou, Ivan George Fantus, and Catharine Whiteside* ... 486

Effects of new analogues of vitamin D on bone cells: Implications for treatment of uremic bone disease. *Christopher W. McIntyre, Neil J. Schroeder, Jacqueline M. Burrin, and John Cunningham* ... 500

Endothelin receptor antagonists influence cardiovascular morphology in uremic rats. *Alexander V. Nabokov, Kerstin Amann, Sabine Wessels, Klaus Münter, Jürgen Wagner, and Eberhard Ritz* 512

Cover: Photomicrograph of bovine pulmonary artery endothelial cells cultured in serum-free media for 20 hours, followed by the addition of lipopolysaccharide for four hours, showing apoptotic morphological alterations characterized by nuclear condensation, cellular shrinkage, and a tendency to clump. (From Carlini et al, Fig. 3A, p. 550)

Collagen secretion and growth of mesangial cells require geranylgeranylpyrophosphate. *Motonobu Nishimura, Tomoaki Tanaka, Tatsuji Yasuda, Shinichi Kurakata, Masatoshi Kitagawa, Kenichi Yamada, Yasushi Saito, and Aizan Hirai* 520

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Direct lysosomal uptake of α_2-microglobulin contributes to chemically induced nephropathy. *Ana Maria Cuervo, Heinz Hildebrand, Ernst M. Bomhard, and J. Fred Dice* 529

Effect of recombinant human erythropoietin on endothelial cell apoptosis. *Raul G. Carlini, Evelyn J. Alonzo, Jose Dominguez, Isaac Blanca, Jose R. Weisinger, Marcos Rothstein, and Ezequiel Bellorin-Font* 546

Recruitment of renal tubular epithelial cells expressing verotoxin-1 (Stx1) receptors in HIV-1 transgenic mice with renal disease. *Xue-Hui Liu, Clifford A. Lingwood, and Patricio E. Ray* 554

Extracellular matrix regulates apoptosis in human neutrophils. *Ralph Kettritz, Ya-Xin Xu, Thomas Kerren, Petra Quass, Jon B. Klein, Friedrich C. Luft, and Hermann Haller* 562

Induction of cyclooxygenase-2 in human synovial cells by β_2-microglobulin. *Kiyoshi Migita, Masahiro Tominaga, Tomoki Origuchi, Yojiro Kawabe, Takahiko Aoyagi, Satoshi Urayama, Satoshi Yamasaki, Ayumi Hida, Atsushi Kawakami, and Katsumi Eguchi* 572

Increased levels of transforming growth factor-β in HIV-associated nephropathy. *Tatsuo Yamamoto, Nancy A. Noble, Diane E. Miller, Leslie I. Gold, Akira Hishida, Mitsumasa Nagase, Arthur H. Cohen, and Wayne A. Border* 579

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Cl^- channels in basolateral TAL membranes: XIII. Heterogeneity between basolateral MTAL and CTAL Cl^- channels. *Christopher J. Winters, W. Brian Reeves, and Thomas E. Andreoli* 593

Increased dietary oxalate does not increase urinary calcium oxalate saturation in hypercalciuric rats. *David A. Bushinsky, Mohammad A. Bashir, Daniel R. Riordon, Yasushi Nakagawa, Fredric L. Coe, and Marc D. Grynpas* 602

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Reduced endogenous endothelin-1–mediated vascular tone in chronic renal failure. *Malcolm F. Hand, William G. Haynes, and David J. Webb* 613

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Low-protein diet and kidney function in insulin-dependent diabetic patients with diabetic nephropathy. *Henrik P. Hansen, Per K. Christensen, Ellis Tauber-Lassen, Annalise Klausen, Berit R. Jensen, and Hans-Henrik Parving* 621

Coadministration of albumin and furosemide in patients with the nephrotic syndrome. *Danilo Fliser, Ines Zurbrüggen, Ernst Mutschler, Irene Bischoff, Jürg Nussberger, Edward Franek, and Eberhard Ritz* 629

DIALYSIS – TRANSPLANTATION

Imprecision of the hemodialysis dose when measured directly from urea removal. *Thomas A. Depner, Tom Greene, Frank A. Gotch, John T. Daugirdas, Prakash R. Keshaviah, Robert A. Star, and The Hemodialysis Study Group* 635

Inflammation enhances cardiovascular risk and mortality in hemodialysis patients. *Josef Zimmermann, Silke Herrlinger, Antje Pruy, Thomas Metzger, and Christoph Wanner* 648

Increased susceptibility to erythrocyte C5b-9 deposition and complement-mediated lysis in chronic renal failure. *Jonathan Himmelfarb, Ellen McMonagle, Diane Holbrook, and Raymond Hakim* 659

Hyaluronan decreases peritoneal fluid absorption: Effect of molecular weight and concentration of hyaluronan. *Tao Wang, Hui-hong Cheng, Olof Heimbürger, Chi Chen, Jacek Waniewski, Jonas Bergström, and Bengt Lindholm* 667

Nature and mediators of renal lesions in kidney transplant patients given cyclosporine for more than one year. *Ariela Benigni, Isabella Bruzzi, Marilena Mister, Nadia Azzollini, Flavio Gaspari, Norberto Perico, Eliana Gotti, Tullio Bertani, and Giuseppe Remuzzi* 674

Effects of sodium nitroprusside on hemodialysis-induced platelet activation. *Bernd Jilma, Nicole Hergovich, Petra Stohlawetz, Georg Stummvoll, Said Albinni, Susanne Simak, Sabine Schmaldienst, Erich Pohanka, Hans-Georg Eichler, and Stylianos Kapiotis* 686

Early graft function and patient survival following cadaveric renal transplantation. *Y. Mun Woo, Alan G. Jardine, Alan F. Clark, Mark S. MacGregor, Adrian W. Bowman, Stuart G. Macpherson, J. Douglas Briggs, Brian J.R. Junor, Margaret A. McMillan, and R. Stuart C. Rodger* 692

Report on the annual statistical survey of the Japanese Society for Dialysis Therapy in 1996. *Toru Shinzato, Shigeru Nakai, Takashi Akiba, Seiji Yamagami, Chikao Yamazaki, Tateki Kitaoka, Kazuo Kubo, Kenji Maeda, and Hirotoshi Morii* 700

The Banff 97 working classification of renal allograft pathology. *Lorraine C. Racusen, Kim Solez, Robert B. Colvin, Stephen M. Bonsib, Maria C. Castro, Tito Cavallo, Byron P. Croker, A. Jake Demetris, Cynthia B. Drachenberg, Agnes B. Fogo, Peter Furness, Lillian W. Gaber, Ian W. Gibson, Dennis Glotz, Julio C. Goldberg, Joseph Grande, Philip F. Halloran, H.E. Hansen, Barry Hartley, Pekka J. Hayry, Claire M. Hill, Ernesto O. Hoffman, Lawrence G. Hunsicker, Anne S. Lindblad, Niels Marcussen, Michael J. Mihatsch, Tibor Nadasdy, Peter Nickerson, T. Steen Olsen, John C. Papadimitriou, Parmjeet S. Randhawa, David C. Rayner, Ian Roberts, Stephen Rose, David Rush, Luis Salinas-Madrigal, Daniel R. Salomon, Stale Sund, Eero Taskinen, Kiril Trpkov, and Yutaka Yamaguchi* 713

COMMENTARY

The ethics of organ transplantation reconsidered: Paid organ donation and the use of executed prisoners as donors. *J. Stewart Cameron and Raymond Hoffenberg* 724

Ethics of paid organ donation and the use of executed prisoners as donors: A dialectic with Professors Cameron and Hoffenberg. *Ronald B. Miller* 733

EDITORIALS

COX2 selective NSAIDs and renal function: Gain without pain? *Matthew D. Breyer* 738

Toward an effective gene therapy in renal disease. *David P. Basile* 740

LETTERS TO THE EDITOR

Prevention of restenosis of central venous stricture after percutaneous transluminal angioplasty and endovascular stenting by brachytherapy. *Francis Kim-Ming Wong, Philip Chong-Hei Kwok, Roger Kai-Cheong Ngan, Raymond Ka-Yan Wong, Kan-Wong Wong, Susan Chan, Ka-Foon Chau, and Chun-Sang Li* 742

Long-term analgesic use and renal disease. *Asghar Rastegar and Michael Kashgarian* 743

NEPHROLOGY FORUM

Insulin-like growth factor I in essential hypertension. *Javier Díez* 744

INVITED CONTRIBUTION

XVth International Congress of Nephrology; XIth Latinamerican Congress of Nephrology. *Elvira Arrizurieta and Pablo U. Massari* 760

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 765

Awards and grants 769

Instructions for Authors on page xiii

KIDNEY INTERNATIONAL

Volume 55, Number 3, March 1999

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Should protein intake be restricted in predialysis patients? *Mackenzie Walser, William E. Mitch, Bradley J. Maroni, and Joel D. Kopple* 771

PERSPECTIVES IN BASIC SCIENCE

Role of glutamine in human carbohydrate metabolism in kidney and other tissues. *Michael Stumvoll, Gabriele Perriello, Christian Meyer, and John Gerich* 778

GENETIC DISORDERS – DEVELOPMENT

Recovery following relief of unilateral ureteral obstruction in the neonatal rat. *Robert L. Chevalier, Andrew Kim, Barbara A. Thornhill, and Jennifer T. Wolstenholme* 793

HORMONES – CYTOKINES – SIGNALING

Human, rat, and mouse kidney cells express functional erythropoietin receptors. *Christof Westenfelder, Diana L. Biddle, and Robert L. Baranowski* 808

22-Oxacalcitriol suppresses secondary hyperparathyroidism without inducing low bone turnover in dogs with renal failure. *Marie-Claude Monier-Faugere, Zhaopo Geng, Robert M. Friedler, Quanle Qi, Noboru Kubodera, Eduardo Slatopolsky, and Hartmut H. Malluche* 821

The prolactin gene is expressed in the mouse kidney. *Yukinao Sakai, Yoshiki Hiraoka, Motoyuki Ogawa, Yuji Takeuchi, and Sadakazu Aiso* 833

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Fas on renal parenchymal cells does not promote autoimmune nephritis in MRL mice. *Takashi Wada, Andreas Schwarting, Koji Kinoshita, Takero Naito, Robert C. Griffiths, Thomas M. Coffman, and Vicki R. Kelley* 841

Interleukin-8: A pathogenetic role in antineutrophil cytoplasmic autoantibody-associated glomerulonephritis. *Paul Cockwell, Christopher J. Brooks, Dwomoa Adu, and Caroline O.S. Savage* (See Editorial, p. 1125) 852

Up-regulation of glomerular extracellular matrix and transforming growth factor-β expression in RF/J mice. *Tadashi Kamata, Eri Muso, Masatomo Yashiro, Takahide Kawamura, Atsushi Oyama, Hiroyuki Matsushima, Eiji Takeuchi, Haruyoshi Yoshida, and Shigetake Sasayama* 864

Blocking angiotensin II ameliorates proteinuria and glomerular lesions in progressive mesangioproliferative glomerulonephritis. *Takamichi Nakamura, Jun-ei Obata, Hideaki Kimura, Shinichi Ohno, Yoji Yoshida, Hiroshi Kawachi, and Fujio Shimizu* 877

Proteinuria induces tubular cell turnover: A potential mechanism for tubular atrophy. *Mark E. Thomas, Nigel J. Brunskill, Kevin P.G. Harris, Elaine Bailey, J. Howard Pringle, Peter N. Furness, and John Walls* 890

Impaired lysosomal processing of β2-microglobulin by infiltrating macrophages in dialysis amyloidosis. *Mar García-García, Àngel Argilés, Annie Gouin-Charnet, Mercè Durfort, José García-Valero, and Georges Mourad* 899

Cover: Semi-ultrathin section prepared from mouse kidney showing mouse prolactin receptor by immunohistochemistry. (From Sakai et al, Fig. 3C, p. 837)

Contents continued on next page

Effect of diabetes and aminoguanidine therapy on renal advanced glycation end-product binding. *Sherif Youssef, Dominique T. Nguyen, Tina Soulis, Sianna Panagiotopoulos, George Jerums, and Mark E. Cooper* 907

The inhibition of myeloperoxidase by ceruloplasmin can be reversed by anti-myeloperoxidase antibodies. *Siân V. Griffin, Philip T. Chapman, Elias A. Lianos, and C. Martin Lockwood* 917

Goodpasture antigen: Expression of the full-length α3(IV) chain of type IV collagen and localization of epitopes exclusively to the noncollagenous domain. *Anu Leinonen, Kai-Olaf Netzer, Ariel Boutaud, Stripad Gunwar, and Billy G. Hudson* (See Editorial, p. 1120) 926

Identification of a clinically relevant immunodominant region of collagen IV in Goodpasture disease. *Thomas Hellmark, Mårten Segelmark, Christine Unger, Harald Burkhardt, Juan Saus, and Jörgen Wieslander* (See Editorial, p. 1120) 936

Mycophenolate mofetil prevents the progressive renal fialure induced by 5/6 renal ablation in rats. *Freddy Romero, Bernardo Rodríguez-Iturbe, Gustavo Parra, Luisandra González, Jaime Herrera-Acosta, and Edilia Tapia* 945

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Tyrosine kinase inhibitors and immunosuppressants perturb the *myo*-inositol but not the betaine cotransporter in isotonic and hypertonic MDCK cells. *Mohamed G. Atta, Stephen C. Dahl, H. Moo Kwon, and Joseph S. Handler* 956

Sodium reabsorption and distribution of Na^+/K^+-ATPase during postischemic injury to the renal allograft. *Osun Kwon, Geraldine Corrigan, Bryan D. Myers, Richard Sibley, John D. Scandling, Donald Dafoe, Edward Alfrey, and W. James Nelson* 963

Effects of phosphate intake on distribution of type II Na/P_i cotransporter mRNA in rat kidney. *Theresia Ritthaler, Martin Traebert, Marius Lötscher, Jürg Biber, Heini Murer, and Brigitte Kaissling* 976

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Glomerular size-selective dysfunction in NIDDM is not ameliorated by ACE inhibition or by calcium channel blockade. *Piero Ruggenenti, Lidia Mosconi, Fabio Sangalli, Federica Casiraghi, Vincenzo Gambara, Giuseppe Remuzzi, and Andrea Remuzzi* 984

Retrotransposons transcribed preferentially in proximal tubules of salt-hypertensive rats. *Miki Nagase, Akira Kato, Toshihiro Ono, Yoshiro Suzuki, Shigehisa Hirose, and Toshiro Fujita* 995

Hypoalbuminemia increases lysophosphatidylcholine in low-density lipoprotein of normocholesterolemic subjects. *Thi Danh Vuong, Eric S.G. Stroes, Nel Willekes-Koolschijn, Ton J. Rabelink, Hein A. Koomans, and Jaap A. Joles* 1005

Endothelin up-regulation and localization following renal ischemia and reperfusion. *Scott M. Wilhelm, Michael S. Simonson, Ann V. Robinson, Nicholas T. Stowe, and James A. Schulak* 1011

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Serum levels of 1,25-dihydroxyvitamin D, 24,25-dihydroxyvitamin D, and 25-hydroxyvitamin D in nondialyzed patients with chronic renal failure. *Eiji Ishimura, Yoshiki Nishizawa, Masaaki Inaba, Naoki Matsumoto, Masanori Emoto, Takahiko Kawagishi, Shigeichi Shoji, Senji Okuno, Masao Kim, Takami Miki, and Hirotoshi Morii* 1019

Plasma total homocysteine and cysteine in relation to glomerular filtration rate in diabetes mellitus. *Flemming Wollesen, Lars Brattström, Helga Refsum, Per M. Ueland, Lars Berglund, and Christian Berne* 1028

HIV-associated nephropathy is a late, not early, manifestation of HIV-1 infection. *Jonathan A. Winston, Mary E. Klotman, and Paul E. Klotman* (See Editorial, p. 1123) 1036

Relationship between supersaturation and calcium oxalate crystallization in normals and idiopathic calcium oxalate stone formers. *Loris Borghi, Angelo Guerra, Tiziana Meschi, Angelo Briganti, Tania Schianchi, Franca Allegri, and Almerico Novarini* 1041

Long-term effects of cyclosporine A in Alport's syndrome. *Luis Callís, Angel Vila, Marta Carrera, and José Nieto* 1051

Renal failure predisposes patients to adverse outcome after coronary artery bypass surgery. *Robert J. Anderson, Maureen O'Brien, Samantha MaWhinney, Catherine B. VillaNueva, Thomas E. Moritz, Gulshan K. Sethi, William G. Henderson, Karl E. Hammermeister, Frederick L. Grover, A. Laurie Shroyer, and The Participants of VA Cooperative Study #5* 1057

Circulating vascular endothelial growth factor is not increased during relapses of steroid-sensitive nephrotic syndrome. *Nicholas J.A. Webb, Carolyn J. Watson, Ian S.D. Roberts, Martyn J. Bottomley, Caroline A. Jones, Malcolm A. Lewis, Robert J. Postlethwaite, and Paul E.C. Brenchley* 1063

DIALYSIS–TRANSPLANTATION

Effect of *MTHFR* 677C>T on plasma total homocysteine levels in renal transplant recipients. *Manuela Födinger, Gabriele Wölfl, Gottfried Fischer, Susanne Rasoul-Rockenschaub, Rainer Schmid, Walter H. Hörl, and Gere Sunder-Plassmann* 1072

Septicemia in dialysis patients: Incidence, risk factors, and prognosis. *Neil R. Powe, Bernard Jaar, Susan L. Furth, Judith Hermann, and William Briggs* 1081

Hemodialysis with high-calcium dialysate impairs cardiac relaxation. *Satu E. Näppi, Heikki H.T. Saha, Vesa K. Virtanen, Jukka T. Mustonen, and Amos I. Pasternack* 1091

Activation of the kallikrein-kinin system in hemodialysis: Role of membrane electronegativity, blood dilution, and pH. *Jean-Louis Renaux, Michel Thomas, Thierry Crost, Nathalie Loughraieb, and Georges Vantard* 1097

Flow-mediated vasodilation and distensibility of the brachial artery in renal allograft recipients. *Martin Hausberg, Klaus Kisters, Markus Kosch, Karl-Heinz Rahn, and Michael Barenbrock* 1104

Value of scintigraphy in chronic peritoneal dialysis patients. *Peter H. Juergensen, Hasan Rizvi, Vicente J. Caride, Alan S. Kliger, and Fredric O. Finkelstein* 1111

EDITORIALS

Goodpasture Syndrome. *Raghu Kalluri* 1120

Looking into the past and future of human immunodeficiency virus nephropathy. *Patricio E. Ray* 1123

ANCA: Fuel for the fire or the spark that ignites the flame? *David J. Salant* 1125

LETTERS TO THE EDITOR

Hypertension/hypotension in dialysis. *Bernard Charra, Charles Chazot, and Guy Laurent* 1128

Reply from the authors. *Philip G. Zager* 1128

Immunohistochemical localization of leptin in rat kidney. *Eduardo Martínez-Ansó, M. Pilar Lostao, and J. Alfredo Martinez* 1129

NEPHROLOGY FORUM

The optimization of continuous ambulatory peritoneal dialysis. *Dimitrios G. Oreopoulos* 1131

ABSTRACTS

Swiss Society of Nephrology, 29th Annual Meeting 1150

Dutch Society of Nephrology, 59th Scientific Meeting 1158

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 1172

Awards and grants 1183

Erratum 1185

Instructions for Authors on page xiii

KIDNEY INTERNATIONAL

Volume 55, Supplement 69, March 1999

Erythropoietin and Iron

Guest Editors:

Gere Sunder-Plassmann and Walter H. Hörl

Table of contents

INTRODUCTION

Gere Sunder-Plassmann and Walter H. Hörl S-1

IRON METABOLISM

Cellular iron metabolism. *Prem Ponka* S-2

Iron and anemia of chronic disease. *Günter Weiss* S-12

Iron deficiency in patients with renal failure. *Allen R. Nissenson and Jur Strobos* S-18

Inherited disorders of iron metabolism. *Manuela Födinger and Gere Sunder-Plassmann* S-22

Iron overload in renal failure patients: Changes since the introduction of erythropoietin therapy. *Joseph W. Eschbach and John W. Adamson* S-35

EVALUATION OF IRON STATUS IN RENAL FAILURE PATIENTS

Hypochromic red blood cells and reticulocytes. *Roland M. Schaefer and Liliana Schaefer* S-44

Erythropoietin and iron. *Joachim P. Kaltwasser and René Gottschalk* S-49

Erythrocyte zinc protoporphyrin. *Johann Braun* S-57

IRON THERAPY IN RENAL FAILURE PATIENTS

Strategies for iron supplementation: oral versus intravenous. *Iain C. Macdougall* S-61

Beneficial effects of iron therapy in renal failure patients on hemodialysis. *Steven Fishbane, Sanjeev K. Mittal, and John K. Maesaka* S-67

Iron status and iron supplementation in peritoneal dialysis patients. *Andreas Vychytil and Marianne Haag-Weber* S-71

Intravenous iron for the treatment of predialysis anemia. *Donald S. Silverberg, Miriam Blum, Zodi Agbaria, Doron Schwartz, Alexander Zubkov, Tatiana Yachnin, and Adrian Iaina* S-79

Erythropoietin and renal transplantation. *Norman Muirhead* S-86

Anemia and carnitine supplementation in hemodialyzed patients. *Josef Kletzmayr, Gert Mayer, Elisabeth Legenstein, Gertraud Heinz-Peer, Thomas Leitha, Walter H. Hörl, and Josef Kovarik* S-93

Erythropoietin hyporesponsiveness: From iron deficiency to iron overload. *Der-Cherng Tarng, Tung-Po Huang, Tzen Wen Chen, and Wu-Chang Yang* S-107

RISKS AND SIDE EFFECTS OF IRON THERAPY

Toxicity of parenteral iron dextran therapy. *David L. Burns and James J. Pomposelli* S-119

Iron and infection. *Sanda I. Patruta and Walter H. Hörl* S-125

Iron therapy and cancer. *Eugene D. Weinberg* S-131

Iron therapy and cardiovascular disease. *Jerome L. Sullivan* S-135

Cover: Peripheral blood smear of a patient with severe iron deficiency. (Photo courtesy of Markus Exner, M.D., Vienna, Austria)

KIDNEY INTERNATIONAL

Volume 55, Number 4, April 1999

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

New insights into the molecular pathophysiology of polycystic kidney disease. *Noel S. Murcia, William E. Sweeney, Jr., and Ellis D. Avner* 1187

PERSPECTIVES IN BASIC SCIENCE

Th1 and Th2 T helper cell subsets affect patterns of injury and outcomes in glomerulonephritis. *Stephen R. Holdsworth, A. Richard Kitching, and Peter G. Tipping* 1198

GENETIC DISORDERS – DEVELOPMENT

Identification of COL4A5 defects in Alport's syndrome by immunohistochemistry of skin. *Frank T.L. van der Loop, Leo A.H. Monnens, Cornelis H. Schröder, Henny H. Lemmink, Martijn H. Breuning, Erika D.J. Timmer, and Hubert J.M. Smeets (See Editorial, p. 1575)* 1217

Mutational analysis within the 3′ region of the *PKD1* gene. *Celia Badenas, Roser Torra, José Luis San Millán, Liliana Lucero, Montserrat Milà, Xavier Estivill, and Alejandro Darnell* 1225

Gene therapy for renal anemia in mice with polycystic kidney using an adenovirus vector encoding the human erythropoietin gene. *Shiwori Osada, Isao Ebihara, Yasuhiro Setoguchi, Hisahide Takahashi, Yasuhiko Tomino, and Hikaru Koide* 1234

Clinical and genetic heterogeneity in familial focal segmental glomerulosclerosis. *Michelle P. Winn, Peter J. Conlon, Kelvin L. Lynn, David N. Howell, Deborah A. Gross, Allison R. Rogala, Anne H. Smith, Felicia L. Graham, MaryLou Bembe, L. Daryl Quarles, Margaret A. Pericak-Vance, and Jeffery M. Vance, on behalf of the International Collaborative Group for the Study of Familial Focal Segmental Glomerulosclerosis* 1241

Increased frequency of G-protein β_3-subunit 825 T allele in dialyzed patients with type 2 diabetes. *Martin Blüthner, Susanne Schmidt, Winfried Siffert, Heidrun Knigge, Peter Nawroth, and Eberhard Ritz* 1247

HORMONES – CYTOKINES – SIGNALING

Endothelial cells regulate proximal tubule epithelial cell sodium transport. *Stuart L. Linas and John E. Repine* 1251

Hypoxia-induced adrenomedullin production in the kidney. *Daisuke Nagata, Yasunobu Hirata, Etsu Suzuki, Masao Kakoki, Hiroshi Hayakawa, Atsuo Goto, Toshihiko Ishimitsu, Naoto Minamino, Yukari Ono, Kenji Kangawa, Hisayuki Matsuo, and Masao Omata* 1259

Estradiol suppresses type I collagen synthesis in mesangial cells via activation of activator protein-1. *Sharon Silbiger, Jun Lei, and Joel Neugarten (See Editorial, p. 1577)* 1268

Angiotensin II inhibits interleukin-1β–induced nitric oxide production in cultured rat mesangial cells. *Minoru Kihara, Machiko Yabana, Yoshiyuki Toya, Shunichi Kobayashi, Takayuki Fujita, Tamio Iwamoto, Tomoaki Ishigami, and Satoshi Umemura* 1277

Cover: Two osteoclasts (black arrows) on the bone surface of a rat on a normal diet. (From Jara et al, Fig. 6A, p. 1440)

Contents continued on next page

Decreased calcium-sensing receptor expression in hyperplastic parathyroid glands of uremic rats: Role of dietary phosphate. *Alex J. Brown, Cynthia S. Ritter, Jane L. Finch, and Eduardo A. Slatopolsky* 1284

Mesangial cells from diabetic NOD mice constitutively express increased density of atrial natriuretic peptide C receptors. *Nicole Ardaillou, Sandrine Placier, Liliane Striker, Gary Striker, and Raymond Ardaillou* 1293

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Mechanisms of induction of renal allograft tolerance in CD45RB-treated mice. *Andrew I. Lazarovits, Lydia Visser, Sora Asfar, Catherine E. LeFeuvre-Haddad, Toni Zhong, David J. Kelvin, Chen Kong, Masud H. Khandaker, Bhagirath Singh, Martin White, Anthony M. Jevnikar, Zheng Zhang, and Sibrand Poppema* 1303

Tissue factor pathway inhibitor expression in human crescentic glomerulonephritis. *Malcolm A. Cunningham, Takahio Ono, Timothy D. Hewitson, Peter G. Tipping, Gavin J. Becker, and Stephen R. Holdsworth* 1311

Interleukin-4 ameliorates crescentic glomerulonephritis in Wistar Kyoto rats. *H. Terence Cook, Sharon J. Singh, David E. Wembridge, Jennifer Smith, Frederick W.K. Tam, and Charles D. Pusey* 1319

Unilateral ureteral obstruction impairs renal antioxidant enzyme activation during sodium depletion. *Michael Kinter, Jennifer T. Wolstenholme, Barbara A. Thornhill, Elizabeth A. Newton, Michael L. McCormick, and Robert L. Chevalier* 1327

Induction of albuminuria in mice: Synergistic effect of two monoclonal antibodies directed to different domains of aminopeptidase A. *Stef Mentzel, Jacco P.H.F. van Son, Henri B.P.M. Dijkman, Jack F. M. Wetzels, and Karel J.M. Assmann* 1335

Role of free radicals in the pathogenesis of lipid-induced glomerulosclerosis in rats. *Akihiro Ishiyama, Keiichiro Atarashi, Mayumi Minami, Masao Takagi, Kenjirou Kimura, Atsuo Goto, and Masao Omata* 1348

Lipoprotein(a) stimulates growth of human mesangial cells and induces activation of phospholipase C via pertussis toxin-sensitive G proteins. *Ulrich F. Mondorf, Albrecht Piiper, Martina Herrero, Hans-Georg Olbrich, Michael Bender, Werner Gross, Ernst Scheuermann, and Helmut Geiger* 1359

A laboratory model of toxin-induced hemolytic uremic syndrome. *C. Mark Taylor, Julie M. Williams, Christopher J. Lote, Alexander J. Howie, Andrew Thewles, Jeanne A. Wood, David V. Milford, Faro Raafat, Ian Chant, and Peter E. Rose* 1367

Expression of PRAD1/cyclin D1, retinoblastoma gene products, and Ki67 in parathyroid hyperplasia caused by chronic renal failure versus primary adenoma. *Yoshihiro Tominaga, Toyonori Tsuzuki, Kazuharu Uchida, Toshihito Haba, Satoki Otsuka, Toshihiro Ichimori, Kazuhiro Yamada, Masahiro Numano, Yuji Tanaka, and Hiroshi Takagi* 1375

Distribution of postsynaptic density proteins in rat kidney: Relationship to neuronal nitric oxide synthase. *Akihiro Tojo, David S. Bredt, and Christopher S. Wilcox* 1384

Immunomodulatory effects of interferon-γ on autoreactive nephritogenic T-cell clones. *Catherine M. Meyers and Youkang Zhang* 1395

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Expression and distribution of adenosine diphosphate-ribosylation factors in the rat kidney. *Irene Londoño, Vladimir Marshansky, Sylvain Bourgoin, Patrick Vinay, and Moïse Bendayan* 1407

Hypertonicity-induced accumulation of organic osmolytes in papillary interstitial cells. *Anke Burger-Kentischer, Eva Müller, Josefine März, Maria Luisa Fraek, Klaus Thurau, and Franz-X. Beck* 1417

Cell type-specific acquired protection from crystal adherence by renal tubule cells in culture. *Carl F. Verkoelen, Burt G. van der Boom, Dirk J. Kok, Adriaan B. Houtsmuller, Pim Visser, Fritz H. Schröder, and Johannes C. Romijn* 1426

Phosphate depletion in the rat: Effect of bisphosphonates and the calcemic response to PTH. *Aquiles Jara, Elizabeth Lee, Deborah Stauber, Farhad Moatamed, Arnold J. Felsenfeld, and Charles R. Kleeman* 1434

Cl^- channels in basolateral TAL membranes. XIV. Kinetic properties of a basolateral MTAL Cl^- channel. *Christopher J. Winters, W. Brian Reeves, and Thomas E. Andreoli* 1444

VASCULAR BIOLOGY–HEMODYNAMICS–HYPERTENSION

Lp(a) and LDL induce apoptosis in human endothelial cells and in rabbit aorta: Role of oxidative stress. *Jan Galle, Reinhard Schneider, Alexandra Heinloth, Christoph Wanner, Peter R. Galle, Ernst Conzelmann, Stephanie Dimmeler, and Kathrin Heermeier* 1450

Large juxtamedullary glomeruli and afferent arterioles in healthy primates. *Karin Skov, Jens R. Nyengaard, Ardan Patwardan, and Michael J. Mulvany* 1462

CLINICAL NEPHROLOGY–EPIDEMIOLOGY–CLINICAL TRIALS

Prevalence and determinants of hyperhomocysteinemia in hemodialysis and peritoneal dialysis. *Ali Moustapha, Anjan Gupta, Killian Robinson, Kristopher Arheart, Donald W. Jacobsen, Martin J. Schreiber, and Vincent W. Dennis* 1470

Mortality and technique failure in patients starting chronic peritoneal dialysis: Results of the Netherlands Cooperative Study on the Adequacy of Dialysis. *Kitty J. Jager, Maruschka P. Merkus, Friedo W. Dekker, Els W. Boeschoten, Jan G.P. Tijssen, Paul Stevens, Willem Jan W. Bos, and Raymond T. Krediet, for the NECOSAD Study Group* 1476

Vesicoureteral reflux in male and female neonates as detected by voiding ultrasonography. *Masahiro Hiraoka, Chikahide Hori, Hirokazu Tsukahara, Kenkou Kasuga, Yoshinori Ishihara, Fumikazu Kotsuji, and Mitsufumi Mayumi* 1486

Up-regulation of Duffy antigen receptor expression in children with renal disease. *Xue-Hui Liu, Terence J. Hadley, Lian Xu, Stephen C. Peiper, and Patricio E. Ray* 1491

DIALYSIS–TRANSPLANTATION

Measurement of the delivery of dialysis in acute renal failure. *James A. Evanson, T. Alp Ikizler, Rebecca Wingard, Stephanie Knights, Yu Shyr, Gerald Schulman, Jonathan Himmelfarb, and Raymond M. Hakim* 1501

Kidney transplanted children come of age. *Gisela Offner, Kay Latta, Peter F. Hoyer, Hans-Jürgen Baum, Jochen H.H. Ehrich, Rudolf Pichlmayr, and Johannes Brodehl* 1509

Effects of FK506 in rat and human resistance arteries. *Jose J.G. De Lima, Hong Xue, Leon Coburn, Takeshi F. Andoh, David A. McCarron, William M. Bennett, and Jean-Baptiste Roullet* 1518

Supervised atenolol therapy in the management of hemodialysis hypertension. *Rajiv Agarwal* 1528

Apolipoprotein B-containing lipoproteins in renal failure: The relation to mode of dialysis. *Per-Ola A. Attman, Ola G. Samuelsson, James Moberly, Ann-Cathrine Johansson, Susanne Ljungman, Lars G. Weiss, Carolyn Knight-Gibson, and Petar Alaupovic* 1536

CD40 expression on graft infiltrates and parenchymal CD154 (CD40L) induction in human chronic renal allograft rejection. *Anderson S. Gaweco, Bonnie L. Mitchell, Bruce A. Lucas, Kenneth D. McClatchey, and David H. Van Thiel* 1543

Sudden and cardiac death rates in hemodialysis patients. *Anthony J. Bleyer, Gregory B. Russell, and Scott G. Satko* 1553

Influence of excess weight on mortality and hospital stay in 1346 hemodialysis patients. *Erwin Fleischmann, Nancy Teal, John Dudley, Warren May, John D. Bower, and Abdulla K. Salahudeen (See Editorial, p. 1580)* 1560

Activation of the tissue factor pathway occurs during continuous venovenous hemofiltration. *Rebecca A. Cardigan, Helen McGloin, Ian J. Mackie, Samuel J. Machin, and Mervyn Singer* 1568

EDITORIALS

Alport syndrome: Is diagnosis only skin deep? *Clifford E. Kashtan* 1575

Estrogen: It's not just for reproduction any more. *H. William Schnaper* 1577

Obesity and mortality in ESRD: Is it good to be fat? *Raymond M. Hakim and Edmund Lowrie* . 1580

NEPHROLOGY FORUM

Genetics of diabetic nephropathy: Evidence for major and minor gene effects. *Andrzej S. Krolewski* 1582

Contents continued on next page

ABSTRACTS

Korean Society of Nephrology 1597
Dutch Society of Nephrology 1622

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 1632
Awards and grants 1636

Instructions for Authors on page xi

KIDNEY INTERNATIONAL

Volume 55, Number 5, May 1999

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

The concept of glomerular self-defense. *Masanori Kitamura and Leon G. Fine* 1639

PERSPECTIVES IN BASIC SCIENCE

Potential role of platelet activating factor in acute renal failure. *José M. López-Novoa* 1672

GENETIC DISORDERS – DEVELOPMENT

The renal lesions that develop in neonatal mice during angiotensin inhibition mimic obstructive nephropathy. *Yoichi Miyazaki, Shinya Tsuchida, Agnes Fogo, and Iekuni Ichikawa* 1683

Expression of parathyroid hormone-related peptide messenger ribonucleic acid in developing kidney. *Kunihiko Aya, Hiroyuki Tanaka, Youjirou Ichinose, Megumi Kobayashi, and Yoshiki Seino* 1696

HORMONES – CYTOKINES – SIGNALING

TGF-β1 stimulates glucose uptake by enhancing GLUT1 expression in mesangial cells. *Ken Inoki, Masakazu Haneda, Shiro Maeda, Daisuke Koya, and Ryuichi Kikkawa* 1704

Molecular mechanism(s) of action of isoproterenol on the expression of the angiotensinogen gene in opossum kidney proximal tubular cells. *Tian-Tian Wang, Xing Chen, Xiao-Hua Wu, Shao-Ling Zhang, and John S.D. Chan* 1713

Effect of rate of calcium reduction and a hypocalcemic clamp on parathyroid hormone secretion: A study in dogs. *Jose C. Estepa, Escolastico Aguilera-Tejero, Yolanda Almaden, Mariano Rodriguez, and Arnold J. Felsenfeld* 1724

Nitric oxide induces heme oxygenase-1 gene expression in mesangial cells. *Prasun K. Datta and Elias A. Lianos* 1734

Interleukin-1 stimulates Jun N-terminal/stress-activated protein kinase by an arachidonate-dependent mechanism in mesangial cells. *Shaoming Huang, Martha Konieczkowski, Jeffrey R. Schelling, and John R. Sedor* (See Editorial, p. 2070) 1740

Aluminum is a weak agonist for the calcium-sensing receptor. *Robert F. Spurney, Min Pi, Patrick Flannery, and L. Darryl Quarles* 1750

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Cold storage induces time-dependent F_2-isoprostane formation in renal tubular cells and rat kidneys. *Abdulla Salahudeen, Mohammed Nawaz, Vandana Poovala, Vijaya Kanji, Chenyou Wang, Jason Morrow, and Jackson Roberts II* 1759

Complement-mediated injury reversibly disrupts glomerular epithelial cell actin microfilaments and focal adhesions. *Peter S. Topham, Samir A. Haydar, Roy Kuphal, Jeffrey D. Lightfoot, and David J. Salant* 1763

Cover: Immunofluorescence photograph of opsonized HeLaA3+ cells expressing Tamm-Horsfall glycoprotein incubated with polymorphoneutrophils for 20 minutes. (From Cavallone et al, Fig. 2E, p. 1791).

Contents continued on next page

Nucleation of calcium oxalate crystals by albumin: Involvement in the prevention of stone formation. *Claire Cerini, Sophie Geider, Bertrand Dussol, Carole Hennequin, Michel Daudon, Stéphane Veesler, Serge Nitsche, Roland Boistelle, Patrice Berthézène, Patricia Dupuy, Alain Vazi, Yvon Berland, Jean-Charles Dagorn, and Jean-Michel Verdier* 1776

Binding of human neutrophils to cell-surface anchored Tamm-Horsfall glycoprotein in tubulointerstitial nephritis. *Daniela Cavallone, Nadia Malagolini, and Franca Serafini-Cessi* 1787

High water intake ameliorates tubulointerstitial injury in rats with subtotal nephrectomy: Possible role of TGF-β. *Toshihiro Sugiura, Atsushi Yamauchi, Hiroshi Kitamura, Yasuko Matsuoka, Masaru Horio, Enyu Imai, and Masatsugu Hori* 1800

Expression of major histocompatibility class II antigens on polymorphonuclear neutrophils in patients with Wegener's granulomatosis. *Gertrud M. Hänsch, Markus Radsak, Christof Wagner, Bettina Reis, Armin Koch, Andreas Breitbart, and Konrad Andrassy* 1811

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Effect of cAMP on the activity and the phosphorylation of Na^+,K^+-ATPase in rat thick ascending limb of Henle. *Militza Kiroytcheva, Lydie Cheval, Maria Luisa Carranza, Pierre-Yves Martin, Hervé Favre, Alain Doucet, and Eric Féraille* 1819

γ-L-glutamyl-L-DOPA inhibits Na^+-phosphate cotransport across renal brush border membranes and increases renal excretion of phosphate. *Frederico G.S. de Toledo, Michael A. Thompson, Chad Bolliger, Gertrude M. Tyce, and Thomas P. Dousa* 1832

Glucose transporter (GLUT1) allele (XbaI–) associated with nephropathy in non-insulin-dependent diabetes mellitus. *Zhi-Hong Liu, Tian-Jun Guan, Zhao-Hong Chen, and Lei-Shi Li* 1843

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Class differences in the effects of calcium channel blockers in the rat remnant kidney model. *Karen A. Griffin, Maria M. Picken, George L. Bakris, and Anil K. Bidani* 1849

The return of glomerular-filtered albumin to the rat renal vein. *Gabriela A. Eppel, Tanya M. Osicka, Lynette M. Pratt, Paula Jablonski, Brian O. Howden, Eric F. Glasgow, and Wayne D. Comper* ... 1861

Renal hemodynamic effects of L-arginine and sodium nitroprusside in heart transplant recipients. *Jeanette Koller-Strametz, Michael Wolzt, Carola Fuchs, Dinah Putz, Wilfried Wisser, Christa Mensik, Hans-Georg Eichler, Günther Laufer, and Leopold Schmetterer* 1871

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Screening early renal failure: Cut-off values for serum creatinine as an indicator of renal impairment. *Cécile Couchoud, Nicole Pozet, Michel Labeeuw, and Claire Pouteil-Noble* 1878

Changing patterns in the histopathology of idiopathic nephrotic syndrome in children. *Melvin Bonilla-Felix, Cesar Parra, Tala Dajani, Maria Ferris, Rita D. Swinford, Ronald J. Portman, and Regina Verani* (See Editorial, p. 2072) 1885

Dialysate iron therapy: Infusion of soluble ferric pyrophosphate via the dialysate during hemodialysis. *Ajay Gupta, Neeta B. Amin, Anatole Besarab, Susan E. Vogel, George W. Divine, Jerry Yee, and J. V. Anandan* 1891

Strong association between malnutrition, inflammation, and atherosclerosis in chronic renal failure. *Peter Stenvinkel, Olof Heimbürger, Furcy Paultre, Ulf Diczfalusy, Tao Wang, Lars Berglund, and Tomas Jogestrand* 1899

Bone histology in patients with nephrotic syndrome and normal renal function. *Sanjeev K. Mittal, Suresh C. Dash, Suresh C. Tiwari, Sanjay K. Agarwal, Sanjeev Saxena, and Steven Fishbane* 1912

Voiding function study with ultrasound in male and female neonates. *Masahiro Hiraoka, Chikahide Hori, Hirokazu Tsukahara, Kenkou Kasuga, Fumikazu Kotsuji, and Mitsufumi Mayumi* 1920

Detection of urinary macrophages expressing the CD16 (FcγRIII) molecule: A novel marker of acute inflammatory glomerular injury. *Osamu Hotta, Naoko Yusa, Michio Ooyama, Kazuko Unno, Takashi Furuta, and Yoshio Taguma* 1927

Contents continued

DIALYSIS – TRANSPLANTATION

Chronic rejection of mouse kidney allografts. *Roslyn B. Mannon, Jeffrey B. Kopp, Philip Ruiz, Robert Griffiths, Matilde Bustos, Jeffrey L. Platt, Paul E. Klotman, and Thomas M. Coffman* 1935

Association of morbidity with markers of nutrition and inflammation in chronic hemodialysis patients: A prospective study. *T. Alp Ikizler, Rebecca L. Wingard, Janice Harvell, Yu Shyr, and Raymond M. Hakim* 1945

Dialysis modality and the risk of allograft thrombosis in adult renal transplant recipients. *Akinlolu O. Ojo, Julie A. Hanson, Robert A. Wolfe, Lawrence Y. Agodoa, Sean F. Leavey, Alan Leichtman, Eric W. Young, and Friedrich K. Port* 1952

Assessing dialysis adequacy and dietary intake in the individual hemodialysis patient. *Wybe D. Kloppenburg, Coen A. Stegeman, Marieke Hooyschuur, José van der Ven, Paul E. de Jong, and Roel M. Huisman* 1961

Increased erythrocyte 3-DG and AGEs in diabetic hemodialysis patients: Role of polyol pathway. *Saori Tsukushi, Tomoyuki Katsuzaki, Isao Aoyama, Fumio Takayama, Takashi Miyazaki, Kaoru Shimokata, and Toshimitsu Niwa* 1970

Adhesion molecule polymorphisms in chronic renal allograft failure. *Andrew J. McLaren, Sara E. Marshall, Neil A. Haldar, Charles G. Mullighan, Susan V. Fuggle, Peter J. Morris, and Ken I. Welsh* 1977

Histological characteristics of sternoclavicular β2-microglobulin amyloidosis and clues for its histogenesis. *Christian Garbar, Michel Jadoul, Henri Noël, and Charles van Ypersele de Strihou* 1983

Regional citrate anticoagulation in continuous venovenous hemofiltration in critically ill patients with a high risk of bleeding. *Runolfur Palsson and John L. Niles* 1991

Trends in clinical indicators of care for adult peritoneal dialysis patients in the United States from 1995 to 1997. *Diane L. Frankenfield, Barbara F. Prowant, Michael J. Flanigan, Pamela R. Frederick, George R. Bailie, Steven D. Helgerson, and Michael V. Rocco for the ESRD Core Indicators Workgroup* 1998

Sex hormones and gender-related differences: Their influence on chronic renal allograft rejection. *Veronika Müller, Attila Szabó, Ondrej Viklicky, Isabell Gaul, Stefan Pörtl, Thomas Philipp, and Uwe W. Heemann* 2011

Bone loss in long-term renal transplantation: Histopathology and densitometry analysis. *Alfonso M. Cueto-Manzano, Shaikh Konel, Alastair J. Hutchison, Vivion Crowley, Michael W. France, Anthony J. Freemont, Judith E. Adams, Barbara Mawer, and Ram Gokal* 2021

Cycler adequacy and prescription data in a national cohort sample: The 1997 core indicators report. *Michael V. Rocco, Michael J. Flanigan, Barbara Prowant, Pamela Frederick, and Diane L. Frankenfield, for the Health Care Financing Administration Peritoneal Dialysis Core Indicators Study Group* 2030

High peritoneal residual volume decreases the efficiency of peritoneal dialysis. *Tao Wang, Hui-hong Cheng, Olof Heimbürger, Jonas Bergström, and Bengt Lindholm* 2040

Effects of arteriovenous fistulas on cardiac oxygen supply and demand. *Willem Jan W. Bos, Robert Zietse, Karel H. Wesseling, and Nico Westerhof* 2049

Peritoneal elimination of homocysteine moieties in continuous ambulatory peritoneal dialysis patients. *Andreas Vychytil, Manuela Födinger, Menelaos Papagiannopoulos, Gabriele Wölfl, Walter H. Hörl, and Gere Sunder-Plassmann* 2054

TECHNICAL NOTE

Polymerase chain reaction detection of Puumala virus RNA in formaldehyde-fixed biopsy material. *Andreas Heiske, Bärbel Anheier, Jürgen Pilaski, Hans-Dieter Klenk, Hermann-Josef Gröne, and Heinz Feldmann* 2062

EDITORIALS

Arachidonic acid in cellular activation. *Kamal F. Badr* 2070

More questions than answers. *Susan B. Conley* 2072

LETTERS TO THE EDITOR

Calcium antagonists and renal disease. *Chike Magnus Nzerue* 2074

Author's reply. *Murray Epstein* 2074

Cyclosporine-induced nephrotoxicity in autoimmune disease. *Claudio Ponticelli, Aldo F. Finzi, and Gianfranco Ferraccioli* 2075

Authors' reply. *Sven R. Vercauteren, Jean-Louis Bosmans, Monique M. Elseviers, Gert A. Verpooten, and Marc E. De Broe* 2075

Adenosine, renal function, and kidney viability. *Simon Gelman and Nicholas Sadovnikoff* 2076

Authors' reply. *Christiane M. Erley, Nils Heyne, and Hartmut Ossald* 2076

NEPHROLOGY FORUM

Vascular access for hemodialysis. *Steve J. Schwab* 2078

ABSTRACTS

The Renal Association 2091

A Joint Congress of the African Association of Nephrology, South African Renal Society, and Renal Care Society of South Africa 2117

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 2134

Awards and grants 2138

Instructions for Authors on page xviii

KIDNEY INTERNATIONAL

Volume 55, Number 6, June 1999

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Circulating biochemical markers of bone remodeling in uremic patients. *Pablo Ureña and Marie-Christine de Vernejoul* 2141

PERSPECTIVES IN BASIC SCIENCE

Hypothesis: Is renal allograft rejection initiated by the response to injury sustained during the transplant process? *Christopher Y. Lu, Jeffery G. Penfield, Marciusz L. Kielar, Miguel A. Vazquez, and D. Rohan Jeyarajah* 2157

HORMONES – CYTOKINES – SIGNALING

Is low plasma 25-(OH)vitamin D a major risk factor for hyperparathyroidism and Looser's zones? *Abderhaman Ghazali, Patrice Fardellone, André Pruna, Ahcene Atik, Jean-Michel Achard, Roxana Oprisiu, Michel Brazier, Alex Remond, Philippe Morinière, Michèle Garabedian, John Eastwood, and Albert Fournier* 2169

Effects of interferon α-2b on barrier function and junctional complexes of renal proximal tubular LLC-PK_1 cells. *Judith Lechner, Markus Krall, Alexandra Netzer, Christian Radmayr, Michael P. Ryan, and Walter Pfaller* 2178

Oxidized low-density lipoprotein stimulates monocyte adhesion to glomerular endothelial cells. *Vaijinath S. Kamanna, Rama Pai, Honjoo Ha, Michael A. Kirschenbaum, and Daeyoung D. Roh* 2192

Effect of glucose on stress-activated protein kinase activity in mesangial cells and diabetic glomeruli. *Myoung Jae Kang, Xiaoyan Wu, Hao LY, Kerri Thai, and James W. Scholey* 2203

Nitric oxide enhances paracellular permeability of opossum kidney cells. *Mingyu Liang and Franklyn G. Knox* 2215

Prior heat stress inhibits apoptosis in adenosine triphosphate-depleted renal tubular cells. *Yihan Wang, Anne A. Knowlton, Thomas G. Christensen, Theodora Shih, and Steven C. Borkan* 2224

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Thrombospondin peptides are potent inhibitors of mesangial and glomerular endothelial cell proliferation *in vitro* and *in vivo*. *Christian P.M. Hugo, Raimund P. Pichler, Eckhard Schulze-Lohoff, Felicitas Pröls, Stephen Adler, Henry C. Krutsch, Joanne E. Murphy-Ullrich, William G. Couser, David D. Roberts, and Richard J. Johnson* 2236

IFN-γ and LPS differentially modulate class II MHC and B7-1 expression on murine renal tubular epithelial cells. *Nazifa Banu and Catherine M. Meyers* 2250

L-Arginine supplementation increases mesangial cell injury and subsequent tissue fibrosis in experimental glomerulonephritis. *Harm Peters, Wayne A. Border, and Nancy A. Noble* 2264

Small bowel T cells, HLA class II antigen DR, and GroEL stress protein in IgA nephropathy. *Immo Rantala, Pekka Collin, Kati Holm, Heikki Kainulainen, Jukka Mustonen, and Markku Mäki* 2274

Cover: Opossum kidney cells were subjected to 1.5 hour ATP depletion with 1.5 hour recovery, then stained with Hoechst dye #33342. Nuclei of apoptotic cells appear condensed and fragmented (magnification 400×). (From Wang et al., Fig. 1G, p. 2229

Contents continued on next page

Effect of nitric oxide donors on renal tubular epithelial cell-matrix adhesion. *Adisorn Wangsiripaisan, Patricia E. Gengaro, Raphael A. Nemenoff, Hong Ling, Charles L. Edelstein, and Robert W. Schrier* 2281

Characterization of the rat mesangial cell type 2 sulfonylurea receptor. *Kenichiro Asano, Pedro Cortes, Jeffrey L. Garvin, Bruce L. Riser, Alicia Rodríguez-Barbero, Balázs Szamosfalvi, and Jerry Yee* . . . 2289

Combined administration of IgA and IgG anti-Thy-1 antibodies enhances renal inflammation in rats. *Mieneke G.A. van Dixhoorn, Toshinobu Sato, Yvonne Muizert, Danielle J. van Gijlswijk-Janssen, Emile de Heer, and Mohamed R. Daha* 2299

Heparin-binding epidermal growth factor-like growth factor is expressed in the adhesive lesions of experimental focal glomerular sclerosis. *Kathy Paizis, Geoffrey Kirkland, Tiffany Khong, Marina Katerelos, Scott Frazer, John Kanellis, and David A. Power* 2310

Tumor necrosis factor-α and lipopolysaccharide induce apoptotic cell death in bovine glomerular endothelial cells. *Udo K. Meßmer, Verina A. Briner, and Josef Pfeilschifter* 2322

Role of intron 1 in smooth muscle α-actin transcriptional regulation in activated mesangial cells *in vivo*. *Noritaka Kawada, Toshiki Moriyama, Akio Ando, Tohru Koyama, Masatsugu Hori, Takeshi Miwa, and Enyu Imai* 2338

The cyclin kinase inhibitor $p21^{CIP1/WAF1}$ limits glomerular epithelial cell proliferation in experimental glomerulonephritis. *Yoon-Goo Kim, Charles E. Alpers, James Brugarolas, Richard J. Johnson, William G. Couser, and Stuart J. Shankland* 2349

ION CHANNELS–MEMBRANE TRANSPORT–INTEGRATIVE PHYSIOLOGY

Renal ischemia/reperfusion leads to macrophage-mediated increase in pulmonary vascular permeability. *Andrew A. Kramer, Gilbert Postler, Khaled F. Salhab, Cynthia Mendez, Larry C. Carey, and Hamid Rabb* 2362

Oxygen-dependent inhibition of respiration in isolated renal tubules by nitric oxide. *Ari Koivisto, Janos Pittner, Matteus Froelich, and A. Erik G. Persson* 2368

Peptides derived from the human transferrin receptor stimulate endosomal acidification via a G_i-type protein. *Juan Codina, Richard Gurich, and Thomas D. DuBose, Jr.* (See Editorial, p. 2524) 2376

Insulin-dependent diabetic sibling pairs are concordant for sodium-hydrogen antiport activity. *Roberto Trevisan, Paola Fioretto, Jose' Barbosa, and Michael Mauer* (See Editorial, p. 2526) 2383

VASCULAR BIOLOGY–HEMODYNAMICS–HYPERTENSION

Endothelin and angiotensin mediate most glomerular responses to nitric oxide inhibition. *Changbin Qui and Chris Baylis* 2390

Essential arterial hypertension and stone disease. *Loris Borghi, Tiziana Meschi, Angela Guerra, Angelo Briganti, Tania Schianchi, France Allegri, and Almerico Novarini* 2397

Cyclosporine A up-regulates angiotensin II receptors and calcium responses in human vascular smooth muscle cells. *Pavel V. Avdonin, Florence Cottet-Maire, Galina V. Afanasjeva, Svetlana A. Loktionova, Philippe Lhote, and Urs T. Ruegg* 2407

CLINICAL NEPHROLOGY–EPIDEMIOLOGY–CLINICAL TRIALS

Correlation of histology to clinical rejection reversal: A Thymoglobulin Multicenter Trial report. *Lillian W. Gaber, Linda W. Moore, A. Osama Gaber, Raymond J. Tesi, Jayne Meyer, and Timothy J. Schroeder, for the U.S. Multicenter Thymoglobulin Study Group* 2415

Multicenter clinical trial of recombinant human insulin-like growth factor I in patients with acute renal failure. *Raimund Hirschberg, Joel Kopple, Pamela Lipsett, Ernest Benjamin, Joseph Minei, Timothy Albertson, Mark Munger, Michael Metzler, Gary Zaloga, Michael Murray, Stephen Lowry, John Conger, Wade McKeown, Michael O'Shea, Robert Baughman, Kenneth Wood, Marilyn Haupt, Roger Kaiser, Hank Simms, David Warnock, Warren Summer, Raymond Hintz, Brian Meyers, Katherine Haenftling, William Capra, Marylyn Pike, and Hans-Peter Guler* 2423

Lipoprotein(a) levels in relation to albumin concentration in childhood nephrotic syndrome. *Davide Noto, Carlo M. Barbagallo, Armida Lo Cascio, Angelo B. Cefalù, Giovanni Cavera, Rosalia Caldarella, Giuseppina Marino, Salvatore Travali, Ignazio Cutaia, Silvio Maringhini, Alberto Notarbartolo, and Maurizio Averna* 2433

HBV and proteinuria in relatives and contacts of children with hepatitis B virus-associated membranous nephropathy. *Rajendra Bhimma, Hoosen Mahomed Coovadia, Anna Kramvis, Miriam Adhikari, Michael Charles Kew, and Catherine Anne Connolly* 2440

Effect of hyperinsulinemia on renal function in a general Japanese population: The Hisayama study. *Michiaka Kubo, Yutaka Kiyohara, Isao Kato, Hiromitsu Iwamoto, Keizo Nakayama, Hideki Hirakata, and Masatoshi Fujishima* 2450

DIALYSIS–TRANSPLANTATION

Cyclosporine-associated thrombotic microangiopathy in renal allografts. *April Zarifian, Suzanne Meleg-Smith, Richard O'Donovan, Raymond J. Tesi, and Vechi Batuman* 2457

Clinical and biochemical correlates of starting "daily" hemodialysis. *John D. Woods, Friedrich K. Port, Sean Orzol, Umberto Buoncristiani, Eric Young, Robert A. Wolfe, and Philip J. Held* 2467

Intravenous ascorbic acid as an adjuvant therapy for recombinant erythropoietin in hemodialysis patients with hyperferritinemia. *Der-Cherng Tarng, Yau-Huei Wei, Tung-Po Huang, Benjamin I.T. Kuo, and Wu-Chang Yang* 2477

Influence of hemodialysis membrane type on pentosidine plasma level, a marker of "carbonyl stress". *Michel Jadoul, Yasuhiko Ueda, Yoshinari Yasuda, Akira Saito, Annie Robbert, Naoto Ishida, Kiyoshi Kurokawa, Charles van Ypersele de Strihou, and Toshio Miyata* 2487

Peritoneal dialysis adequacy: A model to assess feasibility with various modalities. *Jose A. Diaz-Buxo, Frank A. Gotch, Tom I. Folden, Shelden Rosenblum, James Zazra, Nancy Lew, Terri L. Crawford, Brenda Youngblood, Angie Pesich, and J. Michael Lazarus* 2493

Tissue engineering of a bioartificial renal tubule assist device: *In vitro* transport and metabolic characteristics. *H. David Humes, Sherrill M. MacKay, Angela J. Funke, and Deborah A. Buffington* 2502

Survival advantage in Asian American end-stage renal disease patients. *Joyce S. Wong, Friedrich K. Port, Tempie E. Hulbert-Shearon, Caitlin E. Carroll, Robert A. Wolfe, Lawrence Y.C. Agodoa, and John T. Daugirdas* (See Editorial, p. 2528) 2515

EDITORIALS

Regulation of endosomal acidification via G_i-type protein. *David G. Warnock* 2524

Why do we have to invoke genetic susceptibility for diabetic nephropathy? *Giancarlo Viberti* 2526

Risky business. *Julia Breyer-Lewis* 2528

LETTERS TO THE EDITOR

Two novel mutations in the β subunit of the human epithelial sodium channel. *Manuela Födinger, Robert Fritsche-Polanz, Dagmar Schedler, Walter H. Hörl, and Gere Sunder-Plassmann* 2530

Does persistent infection with *Chlamydia pneumoniae* increase the risk of atherosclerosis in chronic renal failure? *Peter Stenvinkel, Olof Heimbürger, Tomas Jogestrand, Anders Kärnell, and Anders Samuelsson* 2531

NEPHROLOGY FORUM

Primary hyperoxaluria type 1. *Pierre Cochat* 2533

ABSTRACTS

The Renal Association, March 26–27, 1998 2548

The Renal Association, September 28–29, 1998 2573

Dutch Society of Nephrology 2598

Contents continued on next page

INTERNATIONAL SOCIETY OF NEPHROLOGY
Meetings 2609
Awards and grants 2612
ACKNOWLEDGMENT OF CORPORATE SPONSORS 2614
ACKNOWLEDGMENT OF REVIEWERS 2615
KEYWORD INDEX 2621
AUTHOR INDEX 2632

Instructions for Authors on page xiv

KIDNEY INTERNATIONAL

Volume 55, Supplement 70, June 1999

Evidence-Based Recommendations

for the Management of Glomerulonephritis

Table of contents

Introduction. *Daniel C. Cattran* S-1

Management of minimal lesion glomerulonephritis: Evidence-based recommendations. *Joanne M. Bargman* S-3

Conservative treatment to slow deterioration of renal function: Evidence-based recommendations. *Ellen Burgess* S-17

Management of focal segmental glomerulosclerosis: Evidence-based recommendations. *Ellen Burgess* S-26

Management of idiopathic crescentic and diffuse proliferative glomerulonephritis: Evidence-based recommendations. *Kailash K. Jindal* S-33

Management of membranoproliferative glomerulonephritis: Evidence-based recommendations. *Adeera Levin* S-41

Management of idiopathic membranous nephropathy: Evidence-based recommendations. *Norman Muirhead* S-47

Management of IgA nephropathy: Evidence-based recommendations. *Linda Nolin and Maryse Courteau* S-56

Cover: Light micrograph of nephritic kidney showing occlusion of capillaries and collapse of the glomerular tuft (PAS stain). From Fig. 1E in, "The cyclin kinase inhibitor $p21^{CIP1/WAF1}$ limits glomerular epithelial cell proliferation in experimental glomerulonephritis." Kim et al, *Kidney Int.* 55:2349–2361, 1999 (Photo courtesy of Stuart Shankland, M.D.).